FESE 不同气候区腐殖酸和富里酸对紫外线辐照氧化石墨烯团聚行为的影响

作者：writer 来源：科学网

本文原地址：https://www.iikx.com/news/progress/32705.html

本文仅供学习交流之用，版权归原作者所有，请勿用于商业用途！

FESE 不同气候区腐殖酸和富里酸对紫外线辐照氧化石墨烯团聚行为的影响。论文标题：Effect of different climate zone ’s humic and fulvic acid on aggregation of UV irradiated graphene oxide

期刊：Frontiers of Environmental Science Engineering

作者：Jawad Ali , Xinfeng Wang, Xinjie Wang, Enxiang Shang , Zahid Hussain , Muhammad Mohiuddin, Jian Zhao, Xinghui Xia , Yang Li

发表时间：15 Mar 2025

DOI： 10.1007/s11783-025-1948-0


微信链接：点击此处阅读微信文章

第五届FESE青年论坛



时间	日程
5 月 23 日	报到
5 月 24 日上午	开幕式 博学笃行•前沿主旨报告
5 月 24 日下午	格物致知•青年思辨论坛 包括化学、地学、交叉、生物分论坛
5 月 25 日上午	正心明志•青年发展沙龙 闭幕式

会议详情：第五届FESE青年论坛开放注册



摘要图

水体系统对紫外线的吸收会影响氧化石墨烯（GO）纳米颗粒的物理化学特性，最终影响其在水中的团聚行为。本研究从中国不同气候带提取的多种腐殖酸和富里酸（HA/FA），分别与在200 mmol/L NaCl溶液中经2小时紫外线照射的大尺寸（约500nm）和小尺寸（约200nm）的GO进行处理。结果显示，经紫外线照射的GO颗粒，即使在腐殖酸/富里酸（HA/FA）低浓度（0.2-1.0mgC/L）时也会发生团聚，而未处理的GO颗粒则未出现此类行为。这种团聚现象归因于紫外辐照导致含氧官能团（C=O/C－O）的减少，从而使GO转化为还原氧化石墨烯（rGO）。因此，rGO表现出较低的分散性，促进了其团聚。此外，由于腐殖酸（HAs）的分子量较大且极性较高，大小尺寸的GO颗粒在腐殖酸中的团聚程度均比在富里酸（FAs）中低。来自高原山地气候区的马口富里酸（Makou FA）和亚热带季风气候区的玛沁腐殖酸（Maqin HA）更显著地促进了GO的团聚，这归因于溶解性有机质（DOM）的分子量较低且芳香性较弱，降低了其吸附能力。应用Derjaguin-Landau-Verwey-Overbeek（DLVO）理论分析表明，即使在DOM存在的情况下，2小时紫外辐照后的GO颗粒之间也未显示出显著的相互作用能垒，这表明尽管添加了DOM，团聚现象仍然占主导地位。这些发现表明，紫外辐照对GO对水体环境中GO的稳定性构成了重大威胁，尤其是在DOM存在的情况下。

爱科学
iikx.com

Frontiers of Environmental Science & Engineering
2025, 19(3): 28 https://doi.org/10.1007/s11783-025-1948-0

Engineering Transactions of CAE

RESEARCH ARTICLE


Effect of different climate zone's humic and fulvic acid on aggregation of UV irradiated graphene oxide

Jawad Ali[1,2], Xinfeng Wang[1], Xinjie Wang[2], Enxiang Shang[3], Zahid Hussain[4], Muhammad Mohiuddin[5], Jian Zhao[2], Xinghui Xia[2], Yang Li ✉ [2]

1. Environment Research Institute, Shandong University, Qingdao 266237, China
2. State Key Laboratory of Water Environment Simulation, School of Environment, Beijing Normal University, Beijing 100875, China
3. College of Science and Technology, Hebei Agricultural University, Huanghua 061100, China
4. Department of Development Studies, COMSATS University Islamabad, Abbottabad Campus, Abbottabad 22060, Pakistan
5. Environment Management Consultant (EMC) Pakistan Pvt Ltd., Karachi 75350, Pakistan

HIGHLIGHTS

- GO converted to rGO with less hydrophilicity after 2 h UV irradiation.
- UV irradiated GO aggregated more with different climate zone's FA than HA.
- Physicochemical properties of HA/FA had obvious effect on UV-aged GO aggregation.
- C–C/C=C and C–O functional groups involved in GO's stability/aggregation.



ABSTRACT: UV light absorption by aquatic systems affect the physicochemical characteristics of graphene oxide (GO) nanoparticles which ultimately influence its aggregation behavior in water. Regarding this research, various humic and fulvic acids (HA/FA), extracted from China's different climate zones, were treated with 2 h UV irradiated large (~500 nm) and (~200 nm) GO in 200 mmol/L NaCl. UV irradiated GO particles displayed aggregation even at low humic acid/fulvic acid (HA/FA) concentrations ranging from 0.2 to 1.0 mgC/L, whereas pristine GO particles did not exhibit such behavior. Reduction of functional groups, containing Oxygen (C=O/C–O), via UV irradiation is responsible for this aggregation phenomenon and conversion of GO to reduced graphene oxide (rGO). Consequently, rGO exhibits lower dispersibility, facilitating its agglomeration. Moreover, both small and large-sized GO particles exhibited less aggregation in HAs compared to FAs due to large molecular weight and high polarity of HAs. Aggregation of GO was more obvious with Makou FA and Maqin HA from Plateau and Mountain climate zone and Subtropical Monsoon climate zone, respectively, owing to

✉ Corresponding author. E-mail: liyang_bnu@bnu.edu.cn

Article history: Received 30 June 2024, Revised 13 November 2024, Accepted 14 November 2024, Available online 13 December 2024

公众号 · FESE Message

© Higher Education Press 2025



扫码获取文章原文

本文内容来自FESE期刊2025年第19卷第3期发表的研究文章Effect of different climate zone’s humic and fulvic acid on aggregation of UV irradiated graphene
oxide。通讯作者为北京师范大学的李阳教授。

引用格式：Jawad Ali, Xinfeng Wang, Xinjie Wang, Enxiang Shang, Zahid Hussain, Muhammad Mohiuddin, Jian Zhao, Xinghui Xia, Yang Li. Effect of different climate zone’s humic and fulvic acid on aggregation of UV irradiated graphene oxide. Front. Environ. Sci. Eng., 2025, 19(3): 28

https://doi.org/10.1007/s11783-025-1948-0

期刊简介





Frontiers of Environmental Science Engineering是由高等教育出版社、中国工程院和清华大学共同主办的环境领域综合学术期刊，聚焦环境领域前沿问题与研究成果，重点关注开创性、跨学科的研究，致力于打造具有国际影响力的高水平学术交流平台，是中国工程院院刊系列期刊、中国科技期刊卓越行动计划入选期刊。

主编：曲久辉院士，John Crittenden院士

期刊官网1（国内免费获取）

http://journal.hep.com.cn/fese

期刊官网2

www.springer.com/journal/11783

欢迎关注



来源：Frontiers of Environmental Science & Engineering

更多 科学进展 请访问 https://www.iikx.com/news/progress/

本文版权归原作者所有，请勿用于商业用途，爱科学iikx.com转发